

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS

P.O. Box 1450	
Alexandria, Virginia 22313-1450	
www.uspto.gov	

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/027,814	12/20/2001	Azmi B. Osman	27006-0002	9480
7	590 06/08/2004		EXAM	INER
Douglas A. Mullen		VAN PELT, BRADLEY J		
Dickinson Wrig Suite 800	ght PLLC		ART UNIT	PAPER NUMBER
1901 L. Street,			3682	
Washington, DC 20036			DATE MAILED: 06/08/2004	4

Please find below and/or attached an Office communication concerning this application or proceeding.

E	,	
	Applicant(s)	
	OSMAN, AZMI B	
	Art Unit	
	3682	
eet with the c	orrespondence ad	dress
E 3 MONTH(
m of thirty (30) days will be considered timely. (6) MONTHS from the mailing date of this communication. come ABANDONED (35 U.S.C. § 133). , even if timely filed, may reduce any		

Office Action Summary

-- The MAILING DATE of this communication appears on the cover sh **Period for Reply**

Application No.

Bradley J Van Pelt

10/027,814

Examiner

• • •		
A SHORTENED STATE	UTORY PERIOD FOR REPLY IS SET	TO EXPIRE 3 MONTH(S) FROM

- THE MAILING DATE OF THIS COMMUNICATION.
 Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum
- If NO period for reply specified above, the maximum statutory period will apply and will expire SIX (
 Failure to reply within the set or extended period for reply will, by statute, cause the application to bec

	eply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any distinct part of the patent term adjustment. See 37 CFR 1.704(b).
Status	
1) 🛛	Responsive to communication(s) filed on <u>05 March 2004</u> .
·	This action is FINAL . 2b) This action is non-final.
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.
Disposition	on of Claims
4)⊠	Claim(s) <u>1-21</u> is/are pending in the application.
	4a) Of the above claim(s) is/are withdrawn from consideration.
	Claim(s) is/are allowed.
·	Claim(s) is/are rejected.
	Claim(s) <u>16</u> is/are objected to.
8)	Claim(s) are subject to restriction and/or election requirement.
Application	on Papers
9) 🔲 🗆	The specification is objected to by the Examiner.
10) 🔲 🗆	Γhe drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
11) 🔲 🗆	The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.
Priority u	nder 35 U.S.C. § 119
12) 🗌 A	Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a)[All b) Some * c) None of:
	1. Certified copies of the priority documents have been received.
	2. Certified copies of the priority documents have been received in Application No
	3. Copies of the certified copies of the priority documents have been received in this National Stage
* •	application from the International Bureau (PCT Rule 17.2(a)).
* 5	ee the attached detailed Office action for a list of the certified copies not received.
A44	
Attachment	e of References Cited (PTO-892) 4) Interview Summary (PTO-413)
	e of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date
3) 🔲 Inform	nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Solution Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
S Potent and Tre	

Art Unit: 3682

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claims 1, 2, 4-6, 10, 12-15, and 17 are rejected under 35 U.S.C. 102(b) as being anticipated by Onozaki (JP 11-280548).

Onozaki discloses an oil pan for an engine comprising: a plurality of substantially parallel, spaced-apart reinforcement channels (see Fig. 3 bottom grooves) extending from adjacent a first end (23) of the oil pan to adjacent a second end (thinner area) of the oil pan, each channel having a base and two sides and an open top, the channels tapering downwardly from the first end and the second end towards an accumulation area (see fig. 1 flat circular portion 28) of the oil pan; wherein the reinforcement channels are substantially U-shaped; the second end of the oil pan has an end surface which is substantially planar; said end surface has no tool access pockets therein; wherein adjacent the second end and intermediate the width of the second end, the oil pan has a region (3) of reduced height, and wherein the region of reduced height having a planar portion into which the at least one reinforcing channel does not extend; wherein the taper is created by curving the channels with a large radius of curvature; wherein the oil pan has a main body, the main body having two side walls (21, 22), a first end wall (23), and a base (25), and wherein the accumulation area is integral with the base; the oil pan has a region of reduced height and the main body has a second end wall (20) which tapers into the region of reduced

Art Unit: 3682

height; wherein there are no channels in the accumulation area; the channels extend up the first end wall but at a reducing height up the first end wall (see figs. 2 and 3 outline of channels extend up wall); wherein the channels along the base are of a height which is less than their height in the region of reduced height; wherein there are three channels.

3. Claims 1, 2, 4, 5, 6, 10, 12-15, and 17 are rejected under 35 U.S.C. 102(b) as being anticipated by Moller (USPN 4,395,982).

Moller discloses an oil pan for an engine comprising: a plurality of substantially parallel, spaced-apart reinforcement channels (U shaped recesses in fig. 2) extending from adjacent a first end (left end in fig. 1) of the oil pan to adjacent a second end (right end of fig. 1) of the oil pan, each channel having a base and two sides and an open top, the channels tapering downwardly from the first end and the second end towards an accumulation area (see fig. 2) of the oil pan; wherein the reinforcement channels are substantially U-shaped;

the second end of the oil pan has an end surface which is substantially planar (flat rimlike surface);

said end surface has no tool access pockets therein;

wherein adjacent the second end and intermediate the width of the second end, the oil pan has a region of reduced height, and wherein the region of reduced height having a planar portion into which the at least one reinforcing channel does not extend (the number of channels on the left and right sides are not equal therefor one of them does not extent to reduced height portion); wherein the taper is created by curving the channels;

wherein the oil pan has a main body, the main body having two side walls, a first end wall, and a base, and wherein the accumulation area is integral with the base;

Art Unit: 3682

the oil pan has a region of reduced height and the main body has a second end wall which tapers into the region of reduced height (side portions taper into area of reduced height);

wherein there are no channels in the accumulation area (portion at the bottom that extends lowest has no channels therein, see fig. 1);

the channels extend up the first end wall but at a reducing height up the first end wall; wherein there are three channels.

Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Onozaki (JP 11-280548) in view of Hofbauer et al. (USPN 4,296,716).

Onozaki discloses all of the instantly claimed invention except the reinforcement channels are V-shaped.

Hofbauer et al. show reinforcement channels that are V-shaped. It would have been obvious to one having ordinary skill in the art at the time the invention was made to form the channels in a V-shape, since Hofbauer et al. state at column 3, lines 43-48, that such a modification would ensure better cooling of the oil.

6. Claims 7-9 and 18-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Onozaki (JP 11-280548) in view of Takubo (USPN 4,770,276).

Art Unit: 3682

Onozaki does not disclose the planar portion is adapted to releasable receive thereon a horizontal portion of a substantially L-shaped cover plate; the cover plate has a substantially upright portion such that when the cover plate is mounted on the planar portion, the substantially upright portion is substantially coplanar with the end surface; wherein the substantially upright portion has a securing flange at an end thereof remote from the horizontal portion; a plurality of bolt holes are provided in each of the securing flange and the horizontal portion; wherein bolt holes are not provided in the upright portion.

Takubo discloses a planar portion is adapted to releasable receive thereon a horizontal portion (28) of a substantially L-shaped cover plate (27); the cover plate has a substantially upright portion (mid-portion) such that when the cover plate is mounted on the planar portion, the substantially upright portion is substantially coplanar with the end surface; wherein the substantially upright portion has a securing flange (30) at an end thereof remote from the horizontal portion; a plurality of bolt holes are provided in each of the securing flange and the horizontal portion; wherein bolt holes are not provided in the upright portion.

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the oil pan of Onozaki with a cover plate for the purpose of reinforcing the mounting of the oil pan to the transmission.

7. Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Moller in view of Hofbauer et al. (USPN 4,296,716).

Moller discloses all of the instantly claimed invention except the reinforcement channels are V-shaped.

Hofbauer et al. show reinforcement channels that are V-shaped.

Art Unit: 3682

It would have been obvious to one having ordinary skill in the art at the time the invention was made to form the channels in a V-shape, since Hofbauer et al. state at column 3, lines 43-48, that such a modification would ensure better cooling of the oil.

8. Claims 7-9 and 18-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Moller in view of Takubo (USPN 4,770,276).

Moller does not disclose the planar portion is adapted to releasable receive thereon a horizontal portion of a substantially L-shaped cover plate; the cover plate has a substantially upright portion such that when the cover plate is mounted on the planar portion, the substantially upright portion is substantially coplanar with the end surface; wherein the substantially upright portion has a securing flange at an end thereof remote from the horizontal portion; a plurality of bolt holes are provided in each of the securing flange and the horizontal portion; wherein bolt holes are not provided in the upright portion.

Takubo discloses a planar portion is adapted to releasable receive thereon a horizontal portion (28) of a substantially L-shaped cover plate (27); the cover plate has a substantially upright portion (mid-portion) such that when the cover plate is mounted on the planar portion, the substantially upright portion is substantially coplanar with the end surface; wherein the substantially upright portion has a securing flange (30) at an end thereof remote from the horizontal portion; a plurality of bolt holes are provided in each of the securing flange and the horizontal portion; wherein bolt holes are not provided in the upright portion.

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the oil pan of Moller with a cover plate for the purpose of reinforcing the mounting of the oil pan to the transmission.

Response to Arguments

9. Applicant's arguments filed March 5, 2004 have been fully considered but they are not persuasive.

Applicant argues that Onozaki does not disclose the channels tapering downwardly from the first end and the second end towards an accumulation area. In detail, the applicant argues Onozaki's channels, as shown in figs. 1 and 2, "do not extend downwardly from the first end and the second end to the flat circular portion 28," because the area 28 is higher than the area near and to the right of numeral 2 in fig. 2. Nonetheless, the channels in Onozaki extend upward toward numeral 24 as shown by the double line near the bend sloping upward in fig. 2. This region is higher than the accumulation area 28 or any bottom area where the oil may collect; thus, Onozaki anticipates this limitation.

Allowable Subject Matter

10. Claim 16 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bradley J Van Pelt whose telephone number is 703.305.8176. The examiner can normally be reached on M-Th 7:00-4:30, 2nd F 7:00-3:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David A Bucci can be reached on 703.308.3668. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3682

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

SUPERVISORY PATENT DEAMINER
TECHNOLOGY CENTER 3600

Page 8

BJVP_